




Before use

Please make sure to check the following prohibited items and items to note before use. Using the Bellows Valves under the specification/condition other than below may result in damage of the bellows or serious failure of the valve. If you have any questions, please contact us.

- Do not use the valve in conditions other than those that are within the operating range.
- · Do not apply impact pressure of water hammer, etc.
- Be sure to take appropriate measures to ensure that the fluid inside the piping does not freeze.
- · Do not use the valve with piping that is subject to significant vibration.
- Do not sharply open and close the valve using a cylinder or other such equipment.
- Do not use the valve in conditions in which it will be subject to excessively frequent open/close operations, such as those produced by electromotive or cylinder means, etc.



- For transportation of large-diameter valves, lift them with a rope tied to the valve casing or yoke. Never put the rope to the handle. Also, be sure not to let the valve fall over the handle and hit it hard. Otherwise, the valve shaft may be bent and open/close operations may be disabled.
- Use a supplementary handle etc. to avoid applying excessive torque. Otherwise, it may result in valve damages such as vale shaft being bent.
- Do not use the valve for corrosive fluid. The following are typical corrosive fluids that are unusable. (hydrochloric acid, nitric acid, dilute sulfuric acid, acetic acid, formic acid, ammonium persulfate, aluminum chloride, etc.)
- When using with high viscosity fluids or fluids that harden at low temperatures, take appropriate measures such as warming the bellows so that the fluid does not adhere to it.
- To keep foreign objects from entering the valve, do not remove the seal on the flange face until the valve is piped.
- · Store the valve indoors with little moisture and dust. Do not store it in open air.
- 1

• Do not disassemble or replace parts.


- Conform the flow direction to the arrow on the valve casing.
- Tightening the valve suddenly hard in closing the valve fully may catch foreign objects on the seat face and result in leakage from the seat.
 When closing the handle, tighten the valve lightly and then open it slightly to let the foreign objects blown off.
- If the valve is used with extremely small opening, the high-speed fluid may crash the seat part or the valve casing and an erosion (mechanical corrosion) may occur.
- Frequent use of the valve requires periodic greasing to avoid slip of trapezoidal thread of the valve shaft.

MALL® Bellows Seal Valves The specifications and performance values of the product described in this catalog are for general operating conditions and are to be used for reference purposes when selecting the appropriate model. Hitachi Valve assures no responsibility for any property damage or injuries caused by use of the products outside the described specifications. The content of this catalog is subject to change or revision without notice. Note that this material supersedes any information contained in previous catalog. Stainless Steel Bellows Seal Valves Forged Steel Bellows Seal Valves Agent http://www.hitachi-valve.co.jp/ Cast Steel Bellows Seal Valves [Obtained ISO9001 & ISO 14001 certifications] TEL 03-5524-3661~3 Tokyo branch Niigata sales branch TEL 025-241-5421 (in Hitachi Metals) FAX 025-243-2558 Hokkaido sales branch TEL 011-221-1786 (in Hitachi Metals) FAX 011-222-4273 TEL 052-220-7478 (in Hitachi Metals) FAX 052-220-7488 Chubu branch Tokai sales branch TEL 054-202-1585 (in Hitachi Metals) FAX 054-202-1588 Hokuriku sales branch TEL 076-420-2881 (in Hitachi Metals) FAX 076-491-5201 TEL 06-6203-9707 (in Hitachi Metals) FAX 06-6203-2209 Kansai branch Chugoku sales branch TEL 082-221-4486 (in Hitachi Metals) FAX 082-221-4499 Kyushu sales branch TEL 092-432-8608 (in Hitachi Metals) FAX 092-451-2495 Created in June, 2006 EBLV1(1)3



♦Zero emission: Environmentally-friendly

- •Contribute to energy conservation by no leakage of vapor or heat medium.
- ·Block out leakage of general gas, bad-smelling gas, erosion gas, etc.
- Non-asbestos valve clears up environmental issues
- ◆No maintenance: No need to replace gland packing
- ◆Economical: Our Bellows Seal Valves are economical in total






Use of Bellows Valves

Field	Applicable plant	Applicable fluid
Petrochemical	Various textile plants (terephthalic acid), synthetic rubber plant,	Vapor, ammonia, chlorine gas,
industry	petroleum refinery	hydrogen, Dowtherm
Electronics	Consideration manufacturing plant cilian manufacturing plant	Vapor, carrier air, carrier gas, waste gas,
industry	Semiconductor manufacturing plant, silicon manufacturing plant	phosgene, hydrogen cyanide, argon
General	Utilities for steelmaking plant, papermaking plant and pharmaceutical plant	Variation has transfered
industry	Utilities for waste incineration plant, district cooling and heating plant and hospitals	Vapor, heat medium
Vacuum		
industry	Various vacuum systems	Inert gas

Basic structure





OS&Y structure (excludes SUS 50A and smaller)

Prevents bellows from twisting by nonrotational valve shaft and lifting handle method.

Gland packing

Prevents external leakage when bellows are damaged

MV, cast/forged steel: Expanded graphite packing SUS: Reinforced PTFE+PTFE packing

Bolted bonnet type

Easy maintenance and control

Bolt fastening structure ensures sufficient fastening power

Cover gasket

Expanded graphite sheet

Prevents external leakage when bellows are damaged

Joint part gasket

High quality gasket seal material prevents external leakage

MV, cast/forged steel: Expanded graphite gasket SUS: Reinforced PTFE gasket

Bellows

Hydroformed multilayer bellows

Uses SUS316L, which has excellent pressure- and corrosion-resistant characteristics

Seat

Intrusion- and wear-resistant HF mirror finish for both sides

(SUS valve optional)

Valve casing

Corresponds to ductile (FCD-S), Stainless steel (SCS13A, SCS14A), cast steel (ASTM A216-WCB) and forged steel (ASTM A105)

Features of Bellows Valves

General features of Bellows Valves

1. No leakage from gland

The bellows blocks out leakage from the gland.

2. Effective for energy-saving effect

No energy loss due to leakage contributes to prevention of global warming and protection of environment.

3. Effective for subtle leakage prevention

The bellows ensure 6.5×10⁻⁶mm³/sec or less leakage based on the He Leak test, which is effective for subtle leakage from the gland.

(MSS SP-117: 10⁻³mm³/sec or less)

4. Positive effects in bad-smelling/safety measures
Perfect for safety measures against inflammable
fluid, toxic fluid, and bad-smelling fluid


5. Easy maintenance

No need to fully tighten the gland packing periodically, which reduces maintenance cost

6. Continuous fluid quality

Complete sealing of valve shaft and gland part with the bellows allows no contact with the fluid inside the tube and no contamination of fluid by grease etc.





OS&Y structure (excludes SUS 50A and smaller)

Prevents bellows from twisting by nonrotational valve shaft and lifting handle method.

Gland packing

Prevents external leakage when bellows are damaged

Cast/forged steel: Expanded graphite packing SUS: Reinforced PTFE+PTFE packing

Cover gasket

Expanded graphite sheet

Prevents external leakage when bellows are damaged

Joint part gasket

High quality gasket seal material prevents external leakage

Cast/forged steel: Expanded graphite gasket SUS: Reinforced PTFE gasket

Bellows

Hydroformed multilayer bellows

Uses SUS316L, which has excellent pressure- and corrosion-resistant characteristics

Bolted bonnet type

Easy maintenance and control

Bolt fastening structure ensures sufficient fastening power

Seat

Intrusion- and wear-resistant HF mirror finish for both sides

(SUS valve optional)

Valve casing

Corresponds to Stainless steel (SCS13A, SCS14A), cast steel (ASTM A216-WCB) and forged steel (ASTM A105)

Features of our Bellows Valves

1. Adoption of self-manufactured bellows

All our bellows valves have adopted hydroformed multilayer bellows designed and manufactured in-house, and have cleared the bellows life required by MSS SP-117.

2. Fine finish seat

Two-sided stellite-welded seat which is excellent in wearand intrusion-resistance is provided as standard specification. (SUS valve optional)

Surface roughness of the seat is fine-finished to 0.5S or lower for prevention of internal leakage.

3. Best for vacuum application

Vacuum of 10⁻²Pa (10⁻⁴Torr) is easily attained compared to the conventional gland packing method.

4. Non-asbestos

Graphoil packing and gasket which contain non-asbestos and are excellent in sealing characteristics, high-temperature characteristics and corrosion resistance were adopted.

5. Easy replacement

Face-to-face and end-to-end dimensions of the valves conform to JIS B2002 and ANSI B16.10, allowing easy replacement of the valve with general valves.


6. Rich assortment


Our cast steel, forged steel and stainless steel valves are made based on the Malleable Bellows Valves having more than a dozen years of performance.

7. Economic efficiency

The bellows valves are more economical than general valves in terms of energy loss due to leakage, which is fairly large, and the maintenance cost.

Seat surface treatment





Quality

The test and inspection items of bellows valves vary according to the models and the use conditions. The general inspections in Table 1 are performed voluntarily for all products.

We also correspond to your request for special inspection and inspections not listed on Table 1 by consultation/instruction made at an order placement.

Table 1: Shipping inspection items of bellows valves

Class	Test/Inspection items	Application	Applied specification/standard			
General inspection	Material inspection	Check of material Verification with and submission of Inspection Certificate	Material specifications such as JIS and ASTM			
	Appearance inspection	Check of inner & outer surface condition, indications, etc.	IIC Posso			
	Dimensional inspection	Check of face-to-face, joint and mating parts, etc.	JIS B2003			
	Pressure inspection	Check with 1.5 times larger pressure than maximum allowable working pressure				
	Air tightness test	Check with 1.1 times larger pressure than maximum allowable working pressure	JIS 2003			
	Valve seat leak test	Check with 1.1 times larger pressure than maximum allowable working pressure				
	Functional inspection	Check of assembly condition, operation performance, etc.	Internal standard			
	Bellows stand-alone leakage inspection	He leak test	Internal standard			
Special	Radiograph examination	Cast body, welded part, groove part, etc.	JIS G0581, Z3104, 6, Ordinance by Ministry of International Trade and Industry, etc.			
inspection	Dye penetrant test	Welded part, groove part, etc.	JIS G0581, Z2343, Ordinance by Ministry of International Trade and Industry, etc.			
	He leak test	A test for high vacuum valves	Internal standard			


Production facilities


The production process of our bellows valves is as follows.



















Gourd Bellows Seal Valves

Production items

MALL[®] Bellow Seal Valves
Stainless Steel Bellow Seal Valves
Forged Steel Bellow Seal Valves
Cast Steel Bellow Seal Valves

Product code

Example



Product list of Bellows Seal Valves

Material	Pressure	Connection	Valve type	Valve seat structure	Product code	10 ^A	15	20	25	32	40	50	65	80	100	125	150	200	250	300	Pg.
	10K	Flange type	Globe	Stellite	M10KFGB		0	0	0	0	0	0	0	0	0	0	0	0	0		11
	20K	Flange type	Globe	Stellite	M20KFGB		0	0	0	0	0	0	0	0	0	0	0	0	0		13
Ductile	150lb	Flange type	Globe	Stellite	M150FGB		0	0	0	0	0	0	0	0	0	0	0	0	0		11
iron	300lb	Flange type	Globe	Stellite	M300FGB		0	0	0	0	0	0	0	0	0	0	0	0	0		13
(FCD-S)	10K	Flange type	Globe	Soft	M10KFDB		0	0	0	0	0	0	0	0	0	0	0	0	0		12
(100-3)	20K	Flange type	Globe	Soft	M20KFDB		0	0	0	0	0	0	0	0	0	0	0	0	0		14
	150lb	Flange type	Globe	Soft	M150FDB		0	0	0	0	0	0	0	0	0	0	0	0	0		12
	300lb	Flange type	Globe	Soft	M300FDB		0	0	0	0	0	0	0	0	0	0	0	0	0		14
	10K	Flange type	Globe	Stainless steel	U10FGB	0	0	0	0	0	0	0	0	0	0	0	0	0			17
04=:=1===	150lb	Flange type	Globe	Stainless steel	U150FGB		0	0	0	0	0	0	0	0	0	0	0	0			17
Stainless	10K	Flange type	Globe	Soft	U10FDB	0	0	0	0	0	0	0	0	0	0	0	0	0			19
steel	150lb	Flange type	Globe	Soft	U150FDB		0	0	0	0	0	0	0	0	0	0	0	0			19
(13A)	10K	Flange type	Gate	Stainless steel	U10FSB		0	0	0	0	0	0	0	0	0	0	0	0		•	18
	150lb	Flange type	Gate	Stainless steel	U150FSB		0	0	0	0	0	0	0	0	0	0	0	0		•	18
	10K	Flange type	Globe	Stainless steel	U10FGBM	0	0	0	0	0	0	0	0	0	0	0	0	0			17
Ota:-lasa	150lb	Flange type	Globe	Stainless steel	U150FGBM		0	0	0	0	0	0	0	0	0	0	0	0			17
Stainless	10K	Flange type	Globe	Soft	U10FDBM	0	0	0	0	0	0	0	0	0	0	0	0	0			19
steel	150lb	Flange type	Globe	Soft	U150FDBM		0	0	0	0	0	0	0	0	0	0	0	0			19
(14A)	10K	Flange type	Gate	Stainless steel	U10FSBM		0	0	0	0	0	0	0	0	0	0	0	0		•	18
	150lb	Flange type	Gate	Stainless steel	U150FSBM		0	0	0	0	0	0	0	0	0	0	0	0		•	18
	Pressure	Connection	Valve type	Valve seat structure	Product code	3/B	1/2	3/4	1	11/4	1½	2	2½	3	4	5	6	8	10	12	Pg.
	800lb	Socket welding	Globe	Stellite	T800WGB1		0	0	0		0	0									21
	10K	Flange type	Globe	Stellite	T10FGBL1		0	0	0		0	0									22
	20K	Flange type	Globe	Stellite	T20KFGB1		0	0	0		0	0									22
	30K	Flange type	Globe	Stellite	T30KFGB1		0	0	0		0	0									22
	40K	Flange type	Globe	Stellite	T40KFGB1		0	0	0		0	0									22
Forged	150lb	Flange type	Globe	Stellite	T150FGB1		0	0	0		0	0									22
steel	300lb	Flange type	Globe	Stellite	T300FGB1		0	0	0		0	0									22
(A105)	600lb	Flange type	Globe	Stellite	T600FGB1		0	0	0		0	0									22
(reduced	800lb	Socket welding	Gate	Stellite	T800WSB1		0	0	0		0	0									23
port*)	10K	Flange type	Gate	Stellite	T10KFSB1		0	0	0		0	0									24
	20K	Flange type	Gate	Stellite	T20KFSB1		0	0	0		0	0									24
	30K	Flange type	Gate	Stellite	T30KFSB1		0	0	0		0	0									24
	40K	Flange type	Gate	Stellite	T40KFSB1		0	0	0		0	0									24
	150lb	Flange type	Gate	Stellite	T150FSB1		0	0	0		0	0									24
	300lb	Flange type	Gate	Stellite	T300FSB1		0	0	0		0	0									24
	600lb	Flange type	Gate	Stellite	T600FSB1		0	0	0		0	0									24

^{**}Please contact us for manufacturing of full port.

Material	Pressure	Connection	Valve type	Valve seat structure	Product code	1½B	2	2½	3	4	5	6	8	10	12	14	16	18	20	24	Pg
	10K	Flange type	Globe	Stellite	S10KFGB		\circ	0	0	0	0	0	0	0	0						2
	20K	Flange type	Globe	Stellite	S20KFGB		0	0	0	0	0	0	0	0	0						28
	30K	Flange type	Globe	Stellite	S30KFGB		0	0	0	0	0	0	0	0	0						28
Coot	150lb	Flange type	Globe	Stellite	S150FGB		0	0	0	0	0	0	0	0	0						2
	300lb	Flange type	Globe	Stellite	S300FGB		0	0	0	0	0	0	0	0	0						2
steel	10K	Flange type	Gate	Stellite	S10KFSB		0	0	0	0	0	0	0	0	0	•	•	•	•	•	2
(WCB)	20K	Flange type	Gate	Stellite	S20KFSB		0	0	0	0	0	0	0	0	0	•	•	•	•	•	30
	30K	Flange type	Gate	Stellite	S30KFSB		0	0	0	0	0	0	0	0	0	•			•	•	30
	150lb	Flange type	Gate	Stellite	S150FSB		0	0	0	0	0	0	0	0	0	•					29
	300lb	Flange type	Gate	Stellite	S300FSB		0	0	0	0	0	0	0	0	0	•	•	•	•	•	3

Please contact us for products with

MALL® Bellows Valve

Metal seat (Stellite seat)

■ 10K MALL® flange-type bellows seal globe valve M10KFGB

■20K MALL® flange-type bellows seal globe valve M20KFGB

■150lb MALL® flange-type bellows seal globe valve M150FGB

■300lb MALL® flange-type bellows seal globe valve M300FGB

Soft seat

■ 10K MALL® flange-type bellows seal globe valve M10KFDB

■20K MALL® flange-type bellows seal globe valve M20KFDB


■ 150lb MALL® flange-type bellows seal globe valve M150FDB

■300lb MALL® flange-type bellows seal globe valve M300FDB

For MALL® bellows seal globe valve 10K (150lb)

10K flange-type bellows seal globe valve (stellite seat) Brevity code: M10KFGB 150lb flange-type bellows seal globe valve (stellite seat) Brevity code: M150FGB





0.98 Vapor, hydraulic oil, N2 gas, heat medium etc. -10 300℃


M10KFGB


Seat view

50

203

251





Major components

·····		
Part name	Material	Remarks
Body	FCD-S	
Bonnet	FCD-S	
Stem	SUS403	
Body seat ring	SUS403	Hard facing
Disc	SUS304	Hard facing
Bellows	SUS316L	
Hand wheel	FCMB370	Painted in black
Upper gasket	SUS304+Grafoil	H1215
Lower gasket	SUS304+Grafoil	H1215
Packing	SUS304+Grafoil	H350+H2200

Inspection pressure

Nominal diameter (A

Н

Part	10K / 150lb
Body	Water pressure 1.47MPa
Body seat	Water pressure 1.08MPa

117

190

127

195

140

208

165

241

Size list M10KFGB·M150FGB

108

181

65	80	100	125	150	200	250
216	241	292	356	406	495	622
312	381	398	493	560	714	872
224	250	300	355	400	450	560


11


For MALL® bellows seal globe valve 10K (150lb)

10K flange-type bellows seal globe valve (Soft seat) 150lb flange-type bellows seal globe valve (Soft seat) Brevity code: M10KFDB

Brevity code: M150FDB







Major components

Part name	Material	Remarks
Body	FCD-S	
Bonnet	FCD-S	
Stem	SUS403	
Body seat ring	SUS403	
Disc seat	PTFE reinforced with filler	
Disc	SUS304	
Bellows	SUS316L	
Hand wheel	FCMB370	Painted in black
Upper gasket	SUS304+Grafoil	H1215
Lower gasket	SUS304+Grafoil	H1215
Packing	SUS304+Grafoil	H350+H2200

Inspection pressure

Part	10K / 150lb
Body	Water pressure 1.47MPa
Body seat	Water pressure 1.08MPa


Size list M10KFDB·M150FDB


Size list N	ize list M10KFDB·M150FDB mm												
Nominal diameter (A)	15	20	25	32	40	50	65	80	100	125	150	200	250
L	108	117	127	140	165	203	216	241	292	356	406	495	622
Н	181	190	195	208	241	251	312	381	398	493	560	714	872
D	100	100	120	120	160	180	224	250	300	355	400	450	560


For MALL® bellows seal globe valve 20K (300lb)

20K flange-type bellows seal globe valve (stellite seat) Brevity code: M20KFGB 300lb flange-type bellows seal globe valve (stellite seat) Brevity code: M300FGB









Major components

Part name	Material	Remarks
Body	FCD-S	
Bonnet	FCD-S	
Stem	SUS403	
Body seat ring	SUS403	Hard facing
Disc	SUS304	Hard facing
Bellows	SUS316L	
Hand wheel	FCMB370	Painted in black
Upper gasket	SUS304+Grafoil	H1215
Lower gasket	SUS304+Grafoil	H1215
Packing	SUS304+Grafoil	H350+H2200

Inspection pressure

Part	20K / 300lb
Body	Water pressure 2.94MPa
Body seat	Water pressure 2.16MPa

LIST MOOKEOD MOOCEOD

Size list N	ze list M20KFGB·M300FGB mm												
Nominal diameter (A)	15	20	25	32	40	50	65	80	100	125	150	200	250
L	110	120	130	160	180	230	292	318	356	400	444	559	622
Н	181	190	195	208	241	251	312	381	398	493	560	714	872
D	100	100	120	120	160	180	224	250	300	355	400	450	560


For MALL® bellows seal globe valve 20K (300lb)


20K flange-type bellows seal globe valve (Soft seat)
300lb flange-type bellows seal globe valve (Soft seat)

Brevity code: M20KFDB

Brevity code: M300FDB







Major components

Part name	Material	Remarks
Body	FCD-S	
Bonnet	FCD-S	
Stem	SUS403	
Body seat ring	SUS403	
Disc seat	PTFE reinforced with filler	
Disc	SUS304	
Bellows	SUS316L	
Hand wheel	FCMB370	Painted in black
Upper gasket	SUS304+Grafoil	H1215
Lower gasket	SUS304+Grafoil	H1215
Packing	SUS304+Grafoil	H350+H2200

Inspection pressure

Part	20K / 300lb					
Body	Water pressure 2.94MPa					
Body seat	Water pressure 2.16MPa					

Size list M20KFDB·M300FDB

OIZC IISC II	IZC IISC WIZON DD WICOOI DD												
Nominal diameter (A)	15	20	25	32	40	50	65	80	100	125	150	200	250
L	110	120	130	160	180	230	292	318	356	400	444	559	622
Н	181	190	195	208	241	251	312	381	398	493	560	714	872
D	100	100	120	120	160	180	224	250	300	355	400	450	560

MEMO

Stainless Steel Bellows Valve

Metal seat (Stainless)

■ 10K Stainless (13A) steel flange-type bellows seal globe valve U10FGB

150lb Stainless (13A) steel flange-type bellows seal globe valve U150FGB

■ 10K Stainless (13A) steel flange-type bellows seal gate valve U10FSB

150lb Stainless (13A) steel flange-type bellows seal gate valve U150FSB

■ 10K Stainless (14A) steel flange-type bellows seal globe valve U10FGBM

■ 150lb Stainless (14A) steel flange-type bellows seal globe valve U150FGBM

■ 10K Stainless (14A) steel flange-type bellows seal gate valve

U10FSBM

■ 150lb Stainless (14A) steel flange-type bellows seal gate valve

U150FSBM

Soft seat

■ 10K Stainless (13A) steel flange-type bellows seal globe valve U10FDB

150lb Stainless (13A) steel flange-type bellows seal globe valve U150FDB

■ 10K Stainless (14A) steel flange-type bellows seal globe valve U10FDBM

U150FDBM 150lb Stainless (14A) steel flange-type bellows seal globe valve


For stainless steel bellows seal globe valve 10K (150lb)


10K flange-type bellows seal globe valve (stainless seat) 150lb flange-type bellows seal globe valve (stainless seat) Brevity code U10FGB (M) Brevity code U150FGB (M)

> **%**1 (オプション対応)

180 220







MPa _{1.9} 150lb Major components Part name Material Remarks U10FGB U10FGBM Product U150FGB U150FGBM code SCS13A SCS14A Body

SCS13A

SUS304

SUS316L

FCMB340

SUS304+Grafoil

PTFE reinforced with filler

SUS316

Painted in black

H1215

SUS304

Bonnet

Stem

Disc

Bellows

Hand wheel

Upper gasket Lower gasket

Inspection pressure

Part	10K		150lb			
Body	Water pressure	2.06MPa	Water pressure	2.85MPa		
Body seat	Water pressure	1.51MPa	Water pressure	2.09MPa		

≫ I	when working	temperature	exceeds	160 C.


Size list U10FGB·U150FGB


50^A以下

OIZC IISC C	SIZE NO. OTOLOGO												
Nominal diameter (A)	10	15	20	25	32	40	50	65	80	100	125	150	200
L	108	108	117	127	140	165	203	216	241	292	356	406	495
Н	162	162	165	171	215	220	232	358	395	428	506	520	634
D	100	100	100	100	150	150	150	200	300	300	350	350	450


For stainless steel bellows seal gate valve 10K (150lb)

10K flange-type bellows seal gate valve (stainless seat) 150lb flange-type bellows seal gate valve (stainless seat) Brevity code U10FSB(M) Brevity code U150FSB(M)





180 425 Major components



Seat view

Part name	Mat	Remarks	
Product	U10FGB U10FGBM		
code	U150FGB	U150FGBM	
Body	SCS13A SCS14A		
Bonnet	SCS		
Stem	SUS		
Disc	SUS304		
Bellows	SUS	316L	
Hand wheel	FCM	B340	Painted in black
Upper gasket	SUS304	+Grafoil	H1215
Lower gasket	PTFE reinforced	%1 H1215 (SUS304+Grafoil)	
Bonnet gasket	PTFE reinforced	%1 H1215 (SUS304+Grafoil)	
Packing	PTFE reinforced		

¾1 When working temperature exceeds 180°C.

Inspection pressure

Part	10K	150lb		
Body	Water pressure 2.06MPa	Water pressure 2.85MPa		
Body seat	Water pressure 1.51MPa	Water pressure 2.09MPa		


Size list U10KFSB·U150FSB


O:=0 ::01												
Nominal diameter (A)	15	20	25	32	40	50	65	80	100	125	150	200
L	108	117	127	140	165	178	190	203	229	254	267	292
Н	316	340	379	421	447	523	616	700	820	1000	1110	1418
D	100	100	170	170	170	170	200	200	300	300	300	350


For stainless steel bellows seal globe valve 10K (150lb)

10K flange-type bellows seal globe valve (soft seat) 150lb flange-type bellows seal globe valve (oft seat) Brevity code U10FDB (M) Brevity code U150FDB (M)









Major components

wajor components									
Part name	Mat	Remarks							
Product	U10FGB								
code	U150FGB	U150FGB U150FGBM							
Body	SCS13A	SCS14A							
Bonnet	SCS								
Stem	SUS								
Disc seat	PTFE reinfor								
Disc	SUS304	SUS316							
Bellows	SUS	316L	Painted in black						
Hand wheel	FCM	B340							
Upper gasket	SUS304	H1215							
Lower gasket	PTFE reinfor								
Packing	PTFE reinforced								

19

Inspection pressure

Part	10K	150lb		
Body	Water pressure 2.06MPa	Water pressure 2.85MPa		
Body seat	Water pressure 1.51MPa	Water pressure 2.09MPa		

Size list U	Size list U10FDB·U150FDB mm												
Nominal diameter (A)	10	15	20	25	32	40	50	65	80	100	125	150	200
L	108	108	117	127	140	165	203	216	241	292	356	406	495
Н	162	162	165	171	215	220	232	358	395	428	506	520	634
D	100	100	100	100	150	150	150	200	300	300	350	350	450

Forged Steel Bellows Valve

Metal seat (Stellite seat)

■ 800Lb forged steel socket weld ends-type bellows seal globe valve T800WGB1

■ 10K forged steel frange-type bellows seal globe valve T10FGBL1

■ 20K forged steel frange-type bellows seal globe valve T20KFGB1

■ 30K forged steel frange-type bellows seal globe valve T30KFGB1

■ 40K forged steel frange-type bellows seal globe valve T40KFGB1

■ 150Lb forged steel socket weld ends-type bellows seal globe valve T150FGB1

300Lb forged steel socket weld ends-type bellows seal globe valve T300FGB1

■ 600Lb forged steel socket weld ends-type bellows seal globe valve T600FGB1

■ 800Lb forged steel socket weld ends-type bellows seal gate valve T800WSB1

■ 10K forged steel socket weld ends-type bellows seal gate valve T10KFSB1

■ 20K forged steel socket weld ends-type bellows seal gate valve T20KFSB1

■ 30K forged steel socket weld ends-type bellows seal gate valve T30KFSB1

40K forged steel socket weld ends-type bellows seal gate valve T40KFSB1

150Lb forged steel socket weld ends-type bellows seal gate valve T150FSB1

■ 300Lb forged steel socket weld ends-type bellows seal gate valve T300FSB1


600Lb forged steel socket weld ends-type bellows seal gate valve T600FSB1


For forged steel bellows seal globe valve 800lb

800lb socket weld ends-type bellows seal globe valve (stainless seat)

Brevity code T800WGB1







Major components

Part name	Material	Remarks
Body	A105	HF
Bonnet	A105	
Stem	A276-410	
Disc	A276-304	HF
Bellows	A240-316L	
Hand wheel	A47	
Lower gasket	SUS304+Grafoil	V/#6590
Upper gasket	SUS304	V/#500
Bonnet bolt	A193GrB7	
Packing	Grafoil	V/#VF-20L+V/#6267

Inspection pressure

100

D

 Pressure
 Withstand pressure of valve casing (water pressure)
 Seat leakage (water pressure)
 Tightness leak test (air pressure)

 8 0 0 l b
 10.00
 10.00
 (0.59)

Size list 800lb mn								
Nominal diameter (B)	1/2	3/4	1	1½	2			
L	79	92	111	152	172			
Н	146	146	177	216	253			

125

160


100


For forged steel bellows seal globe valve

10K frange-type bellows seal globe valve (stellite seat) 20K frange-type bellows seal globe valve (stellite seat) 30K frange-type bellows seal globe valve (stellite seat) 40K frange-type bellows seal globe valve (stellite seat) Brevity code T10FGBL1 Brevity code T20KFGB1 Brevity code T30KFGB1 Brevity code T40KFGB1

150lb frange-type bellows seal globe valve (stellite seat) Brevity code T150FGB1 300lb frange-type bellows seal globe valve (stellite seat) 600lb frange-type bellows seal globe valve (stellite seat) Brevity code T600FGB1

Brevity code T300FGB1





wajor components							
Part name	Material	Remarks					
Body	A105	HF					
Bonnet	A105						
Stem	A276-410						
Disc	A276-304	HF					
Bellows	A240-316L						
Hand wheel	A47						
Lower gasket	SUS304+Grafoil	V/#6590					
Upper gasket	SUS304	V/#500					
Bonnet bolt	A193GrB7	A193GrB7					
Packing	Grafoil	V/#VF-20L+V/#6267					

(0.59)(0.59)(0.59)(0.59)

(0.59)(0.59)(0.59)(0.59)

Size list 150lb · 300lb mm								
Nominal diameter (B)	1/2	3/4	1	1½	2			
L	152	178	203	229	267			
Н	146	146	177	216	253			
D	100	100	125	160	180			


Nominal diameter (B)	1/2	3/4	1	1½	2		Pressure	Withstand pressure of valve casing (water pressure)	Seat leakage (water pressure)	Tigh (a
L	152	178	203	229	267		8 0 0 l b	10.00	10.00	
Н	146	146	177	216	253		JIS10K	2.06	1.51	
D	100	100	125	160	180		JIS20K	5.00	3.67	
						l	JIS30K	7.50	5.50	
Size list 4	0K•600	lb			mm		JIS40K	10.00	7.34	
Nominal diameter (B)	1/2	3/4	1	11/2	2		1 5 0 l b	3.10	2.16	
L	165	190	216	241	292		3 0 0 l b	7.76	5.61	
Н	146	146	177	216	253		6 0 0 l b	10.00	10.00	


Inspection pressure

For forged steel bellows seal gate valve 800lb

800lb socket weld ends-type bellows seal gate valve (stellite seat)

Brevity code T800WSB1





Major components							
Part name	Material	Remarks					
Body	A105						
Body seat ring	A276-410	HF					
Stem	A276-410	HF					
Disc	A217-CA15						
Bellows	A240-316L						
Bonnet	A105						
Lower gasket	SUS304+Grafoil	V/#6590					
Upper gasket	SUS304	V/#500					
Bonnet bolt	A193GrB7	A193Gr B7					
Packing	Grafoil	V/#VF-20L+V/#6267					
Hand wheel	A47						

23

Inspection pressure MPa							
Pressure	Withstand pressure of valve casing (water pressure)	Seat leakage (water pressure)	Tightness leak test (air pressure)				
8 0 0 l b	10.00	10.00	(0.59)				

Size list 800lb mm							
Nominal diameter (B)	1/2	3/4	1	11/2	2		
L	79	92	111	120	140		
Н	228	228	286	384	456		
D	100	100	125	160	180		


For forged steel bellows seal gate valve (10K·20K·30K·40K)


10K frange-type bellows seal gate valve (stellite seat) 20K frange-type bellows seal gate valve (stellite seat) 30K frange-type bellows seal gate valve (stellite seat) 40K frange-type bellows seal gate valve (stellite seat)

Brevity code T10KFSB1 Brevity code T20KFSB1 Brevity code T30KFSB1 Brevity code T40KFSB1

150lb frange-type bellows seal gate valve (stellite seat) 300lb frange-type bellows seal gate valve (stellite seat) 600lb frange-type bellows seal gate valve (stellite seat)

Brevity code T150FSB1 Brevity code T300FSB1 Brevity code T600FSB1





Major components

Part name	Material	Remarks
Body	A105	
Body seat	A276-410	HF
Stem	A276-410	HF
Disc	A217-CA15	
Bellows	A240-316L	
Bonnet	A105	
Lower gasket	SUS304+Grafoil	V/#6590
Upper gasket	SUS304	V/#500
Bonnet bolt	A193GrB7	A193Gr B7
Packing	Grafoil	V/#VF-20L+V/#6267
Hand wheel	A47	

Size	lict	150lb • 300lb
אבוכ	IISI.	เอบเมาอบบเม

OIZC IISC TOOLD GOOLD								
Nominal diameter (B)	1/2	3/4	1	1½	2			
L	140	152	165	190	216			
Н	228	228	286	384	456			
D	100	100	125	160	180			

Siza	liet	40K•600lh

5126 Het 1611 66615								
Nominal diameter (B)	1/2	3/4	1	1½	2			
L	165	190	216	241	292			
Н	228	228	286	384	456			
D	100	100	125	160	180			

Inspection pressure								
Pressure	Withstand pressure of valve casing (water pressure)	Seat leakage (water pressure)	Tightness leak test (air pressure)					
8 0 0 l b	20.51	14.98	(0.59)					
JIS10K	2.06	1.51	(0.59)					
JIS20K	5.00	3.67	(0.59)					
JIS30K	3 0 K 7.50 5.50		(0.59)					
JIS40K	10.00	7.34	(0.59)					
1 5 0 l b	3.10	2.16	(0.59)					
3 0 0 l b	7.76	5.61	(0.59)					
6 0 0 l b	15.34	11.22	(0.59)					

MEMO

Cast Steel Bellows Valve

Metal seat (Stellite seat)

■ 10K cast steel frange-type bellows seal globe valve S10KFGB

■ 20K cast steel frange-type bellows seal globe valve S20KFGB

■ 30 cast steel frange-type bellows seal globe valve S30KFGB

■ S150 cast steel frange-type bellows seal globe valve S150FGB

■ S300 cast steel frange-type bellows seal globe valve S300FGB

■ 10K cast steel frange-type bellows seal gate valve S10KFSB

■ 20K cast steel frange-type bellows seal gate valve S20KFSB


■ 30K cast steel frange-type bellows seal gate valve S30KFSB


■ 150lb cast steel frange-type bellows seal gate valve S150FSB


■ 300lb cast steel frange-type bellows seal gate valve S300FSB

For cast steel bellows seal globe valve 10K (150lb)

10K frange-type bellows seal globe valve (stellite seat) Brevity code S10KFGB 150lb frange-type bellows seal globe valve (stellite seat) Brevity code S150FGB







Major components

Part name	Material	Remarks	
Body	A216-WCB		
Bonnet	A216-WCB		
Stem	A276-410		
Body seat ring	A105	Hard facing	
Disc	A276-CA15	Hard facing	
Bellows	SUS316L		
Hand wheel	DUCTILE	Painted in black	
Upper gasket	SUS304+Grafoil	H1215	
Lower gasket	SUS316+Grafoil	H1806GR	
Packing	Inconel alloy+Grafoil	H500+H2200	

27

Inspection pressure


Part	10K	150lb		
Body	Water pressure 2.06MPa	Water pressure 3.10MPa		
Body seat	Water pressure 1.51MPa	Water pressure 2.16MPa		


Size list S10KFGB·S150FGB								mm	
Nominal diameter (B)	2	21/2	3	4	5	6	8	10	12
L	203	216	241	292	356	406	495	622	698
Н	368	417	448	496	516	550	679	850	945
D	200	250	250	250	300	350	500	600	600


For cast steel bellows seal globe valve 20K·30K (300lb)

20K frange-type bellows seal globe valve (stellite seat) 30K frange-type bellows seal globe valve (stellite seat) 300lb frange-type bellows seal globe valve (stellite seat) Brevity code S300FGB

Brevity code S20KFGB Brevity code S30KFGB







Major components

wajor components							
	Part name	Material	Remarks				
	Body	A216-WCB					
	Bonnet	A216-WCB					
	Stem	A276-410					
	Body seat ring	A105	Hard facing				
	Disc	A217-CA15	Hard facing				
	Bellows	SUS316L					
	Hand wheel	DUCTILE	Painted in black				
	Upper gasket	SUS304+Grafoil	H1215				
	Lower gasket	SUS316+Grafoil	H1806GR				
	Packing	Inconel alloy+Grafoil	H500+H2200				

Inspection pressure

Part	20K		30K		300lb		
Body	Water pressure 5	5.78MPa	Water pressure	7.55MPa	Water pressure	7.76MPa	
Body seat	Water pressure 3	3.92MPa	Water pressure	5.58MPa	Water pressure	5.61MPa	

Size list S20KFGR+S30KFGR+S300FGR


bize list 320KFGB*330KFGB*3300FGB									mm
Nominal diameter (B)	2	21/2	3	4	5	6	8	10	12
L	267	292	318	356	400	444	559	622	711
Н	427	486	509	579	599	804	968	1090	1249
D	200	250	250	350	350	450	600	600	700


For cast steel bellows seal gate valve 10K (150lb)


10K frange-type bellows seal gate valve (stellite seat) 150lb frange-type bellows seal gate valve (stellite seat) Brevity code S150FSB

Brevity code S10KFSB









Major components

Part name	Material	Remarks	
Body	A216-WCB		
Bonnet	A216-WCB		
Stem	A276-410		
Body seat ring	A105	Hard facing	
Disc	A216-WCB	Hard facing	
Bellows	SUS316L		
Hand wheel	DUCTILE	Painted in black	
Upper gasket	SUS304+Grafoil	H1215	
Lower gasket	SUS316+Grafoil	H1806GR	
Bonnet gasket	SUS304+Grafoil	H1215	
Packing	Inconel alloy+Grafoil	H500+H2200	

Inspection pressure

シート図

Part	10K	150lb		
Body	Water pressure 2.06MPa	Water pressure 3.10MPa		
Body seat	Water pressure 2.16MPa	Water pressure 2.16MPa		

Size list S10KFSB·S150FSB								mm	
Nominal diameter (B)	2	21/2	3	4	5	6	8	10	12
L	178	190	203	229	254	267	292	330	356
Н	646	795	833	959	998	1127	1420	1735	2041
D	200	200	250	250	300	300	350	450	500


For cast steel bellows seal gate valve (10K·30K·300lb)


20K frange-type bellows seal gate valve (stellite seat) 30K frange-type bellows seal gate valve (stellite seat)


300lb frange-type bellows seal gate valve (stellite seat) Brevity code S300FSB


Brevity code S20KFSB Brevity code S30KFSB Brevity code S300FSB














Major components

Part name	Material	Remarks	
Body	A216-WCB		
Bonnet	A216-WCB		
Stem	A276-410		
Body seat ring	A105	Hard facing	
Disc	A216-WCB	Hard facing	
Bellows	SUS316L		
Hand wheel	DUCTILE	Painted in black	
Upper gasket	SUS304+Grafoil	H1215	
Lower gasket	SUS316+Grafoil	H1806GR	
Bonnet gasket	SUS304+Grafoil	H1806GR	
Packing	Inconel alloy+Grafoil	H500+H2200	

Inspection pressure

Part	20K	30K	300lb		
Body	Water pressure 5.78MPa	Water pressure 7.55MPa	Water pressure 7.76MPa		
Body seat	Water pressure 3.92MPa	Water pressure 5.58MPa	Water pressure 5.61MPa		

Size list S20KFSB·S30KFSB·S300FSB

OIZO IIOC	220111 01	3 00011	00 00	001 OD					111111
Nominal diameter (A)	2	21/2	3	4	5	6	8	10	12
L	216	241	283	305	381	403	419	457	502
Н	836	971	1112	1326	1345	1414	1816	2142	2808
D	200	200	250	300	300	350	400	500	600
D D	200	200	250	300	300	330	400	300	000


MEMO

Technical information

Dimensions of flange

Dimensions of pipe flange

ASME B 16.5-1996 PIPE FLANGES AND FLANGED FITTINGS Class 150/300/600




															'		→						(Uı	nit: mm)
Nominal				Clas	s 150							Class	s 300				Class 600							
diameter (B)	D	g	t	f	С	Number	h	Nominal bolt diameter	D	g	t	f	С	Number	h	Nominal bolt diameter	D	g	t	f	С	Number	h	Nominal bolt diameter
1/2	89	35	11.2	1.6	60.5	4	16	1/2	95	35	14.2	1.6	66.5	4	16	1/2	95	35	14.2	6.4	66.5	4	16	1/2
3/4	98	43	12.7	1.6	70.0	4	16	1/2	117	43	15.7	1.6	82.5	4	19	5/8	117	43	15.7	6.4	82.5	4	19	5/8
1	108	51	14.2	1.6	79.5	4	16	1/2	124	51	17.5	1.6	89.0	4	19	5/8	124	51	17.5	6.4	89.0	4	19	5/8
1 1/4	117	64	15.7	1.6	89.0	4	16	1/2	133	64	19.0	1.6	98.5	4	19	5/8	133	64	20.6	6.4	98.5	4	19	5/8
1 1/2	127	73	14.3	1.6	98.5	4	16	1/2	156	73	20.7	1.6	114.5	4	22	3/4	156	73	22.3	6.4	114.5	4	22	3/4
2	152	92	15.9	1.6	120.5	4	19	5/8	165	92	22.3	1.6	127.0	8	19	5/8	165	92	25.4	6.4	127.0	8	19	5/8
2 1/2	178	105	17.5	1.6	139.5	4	19	5/8	190	105	25.4	1.6	149.0	8	22	3/4	190	105	28.6	6.4	149.0	8	22	3/4
3	190	127	19.1	1.6	152.5	4	19	5/8	210	127	28.6	1.6	168.0	8	22	3/4	210	127	31.8	6.4	168.0	8	22	3/4
4	229	157	23.9	1.6	190.5	8	19	5/8	254	157	31.8	1.6	200.0	8	22	3/4	273	157	38.1	6.4	216.0	8	25	7/8
5	254	186	23.9	1.6	216.0	8	22	3/4	279	186	35.0	1.6	235.0	8	22	3/4	330	186	44.5	6.4	266.5	8	29	1
6	279	216	25.4	1.6	241.5	8	22	3/4	318	216	36.6	1.6	270.0	12	22	3/4	356	216	47.7	6.4	292.0	12	29	1
8	343	270	28.6	1.6	298.5	8	22	3/4	381	270	41.3	1.6	330.0	12	25	7/8	419	270	55.6	6.4	349.0	12	32	1 1/8
10	406	324	30.2	1.6	362.0	12	25	7/8	444	324	47.7	1.6	387.5	16	29	1	508	324	63.5	6.4	432.0	16	35	1 1/4
12	483	381	31.8	1.6	432.0	12	25	7/8	521	381	50.8	1.6	451.0	16	32	1 1/8	559	381	66.7	6.4	489.0	20	35	1 1/4
14	533	413	35.0	1.6	476.0	12	29	1	584	413	54.0	1.6	514.5	20	32	1 1/8	603	413	69.9	6.4	527.0	20	38	1 3/8
16	597	470	36.6	1.6	539.5	16	29	1	648	470	57.2	1.6	571.5	20	35	1 1/4	686	470	76.2	6.4	603.0	20	41	1 1/2
18	635	533	39.7	1.6	578.0	16	32	1 1/8	711	533	60.4	1.6	628.5	24	35	1 1/4	743	533	82.6	6.4	654.0	20	45	1 5/8
20	698	584	42.9	1.6	635.0	20	32	1 1/8	775	584	63.5	1.6	686.0	24	35	1 1/4	813	584	88.9	6.4	724.0	24	45	1 5/8
24	813	692	47.7	1.6	749.5	20	35	1 1/4	914	692	69.9	1.6	813.0	24	41	1 1/2	940	692	101.6	6.4	838.0	24	51	1 7/8


socket part of socket welding end valve


(Unit: mm)

(Onit: Illii								
Nominal	Class 600/Class 800							
diameter (B)	В	С						
1/2	22.2	9.6						
3/4	27.7	12.7						
1	34.5	12.7						
1 1/4	43.2	12.7						
1 1/2	49.1	12.7						
2	61.1	15.9						



●Shape and dimensions of ●Basic dimensions of flange with 20K nominal pressure JIS B 2238





									(Unit:mm)
	External diameter	External	Dimension	s of each pa	art of flange		Bolt hole		Nominal
Nominal diameter	of applicable steel pipe	diameter of flange D	t	f	Diameter g	Diameter of center circle C	Number	Diameter h	diameter of screw of bolt
15	21.7	95	14	1	51	70	4	15	M12
20	27.2	100	16	1	56	75	4	15	M12
25	34.0	125	16	1	67	90	4	19	M16
32	42.7	135	18	2	76	100	4	19	M16
40	48.6	140	18	2	81	105	4	19	M16
50	60.5	155	18	2	96	120	8	19	M16
65	76.3	175	20	2	116	140	8	19	M16
80	89.1	200	22	2	132	160	8	23	M20
(90)	101.6	210	24	2	145	170	8	23	M20
100	114.3	225	24	2	160	185	8	23	M20
125	139.8	270	26	2	195	225	8	25	M22
150	165.2	305	28	2	230	260	12	25	M22
200	216.3	350	30	2	275	305	12	25	M22
250	267.4	430	34	2	345	380	12	27	M24
300	318.5	480	36	3	395	430	16	27	M24

Certified usage range list of high pressure gas (As of August 21, 2004)

Certification number		MAB-281-N-4						
Model	Model na	me (type)	Preset ter	nperature	Designed	Bore		
name (type)	Segment	Material	Maximum (℃)	Minimum (°C)	pressure (MPa)	diameter (A)		
	Carbon steel	A105, SFVC2A	450	0	22.1 or less	50 or less		
Cata valva	Malleable cast iron	FCMB-S35	350	-30※1	2.4 or less	300 or less		
Gate valve	Duratile and iron	FCD C	050	-30%1	2.4 or less	100 or less		
	Ductile cast iron	FCD-S	FCD-S 350		1.0 or less	350 or less		
	Carbon steel	A105, SFVC2A	450	0	29.5 or less	50 or less		
		SCS13A	800	-196				
		SCS14A	600	% 2	21.3 or less	100 or less		
	Stainless steel	A182-F304	800	-253				
Globe valve	Statilless steel	A182-F316	000	-255				
Globe valve		A182-F304L	425	-269				
		A182-F316L	450	-269				
	Malleable cast iron	FCMB-S35	350	-30%1	2.4 or less	200 or less		
	ividileable cast iiOII	FOIND-333	330	-30%1	1.5 or less	250 or less		
	Ductile cast iron	FCD-S	350	-30※1	2.4 or less	80 or less		

(Note) *1: Consult us when using it at the temperature under -5°C.

*2: Consult us when using it at the temperature under -30°C.

Note 1: Do not use the flange having nominal diameter described with () in the table as much as possible.

Technical Data

Chemical resistance of packing and gasket

The packing and gasket are made of high corrosion resistant PTFE or expanded graphite. We are ready to meet any other requests, so please contact us if you need a specific packing or a gasket.

Chemical resistance of bellows body materials

First			Body material			Damada
Fluid	FCD-S	SCS13A	SCS14A	WCB	A105	Remarks
Hydrogen	0	0	0	0	0	Degreasing inside of valve
Argon	0	0	0	0	0	
Hydrogen cyanide	0	0	0	0	0	
Ethylene oxide	0	0	0	0	0	
Chlorine (dry gas)	(≥30°C)	(≧30℃)	(≧30℃)	○(≥30 °C)	○(≥30 °C)	
Ammonia	0	0	0	0	0	
Hydrogen sulfide (dry gas)	0	0	0	0	0	HF
Hydrogen sulfide (wet gas)	×	0	0	0	0	HF
Chloromethyl	(room temperature, dry)					
Trimethylamine	0	0	0	0	0	
Ethanol	0	0	0	0	0	
Amine	0	0	0	0	0	
Heat transfer oil	0	0	0	0	0	
Oxygen	0	0	0	0	0	Degreasing inside of valve, P/G:PTFE
Liquefied petroleum gas	0	0	0	0	0	
Natural gas	0	0	0	0	0	
City gas	0	0	0	0	0	
Nitric acid	×	○(≧50%/≧70°C)	○(≧50%/≧70°C)	○(≧50%/≧70°C)	○(≧50%/≧70°C)	P/G:PTFE
Sulfuric acid	○(98%≦/≧100°C)	○(98%≦/≧150°C)	○(98%≦/≧150°C)	○(98%≦/≧150°C)	○(98%≦/≧150°C)	P/G:PTFE
Carbon dioxide (dry gas)	0	0	0	0	0	
Sodium hydroxide	○(≥50%/≥80℃)	○(≧70%/≧250°C)	○(≧70%/≧250°C)	○(≧70%/≧80°C)	○(≧70%/≧80°C)	
Acetylene	0	0	0	0	0	Copper-series prohibited
Phosgene	×	0	0	0	0	P/G:PTFE

Use of bellows valve in vacuum line

Table 6 below shows the use range of our general valves and bellow valves on vacuum equipments.

Table 6: Use range of our valves for vacuum equipments

Value ture	Donne of was		Leakage rate
Valve type	Range of use	Main body	Valve sheet
Ctandard ganaral valva	- 10 ² Do(1) (1 Torr)	10 ⁻² Pa m ³ /sec	Metal sheet:10 ⁻¹ Pa m ³ /sec
Standard general valve	\sim 10 ² Pa(abs) (1 Torr)	10 - Pa IIIº/Sec	Teflon sheet:10 ⁻² Pa m ³ /sec
General valve with	10-1 Day 1 \ (10-3 Tarm)	10 ⁻⁴ Pa m ³ /sec	Metal sheet:10 ⁻³ Pa m ³ /sec
vacuum specification	~10 ⁻¹ Pa(abs) (10 ⁻³ Torr)	10 Pa mysec	Teflon sheet:10 ⁻⁴ Pa m ³ /sec
Dollows valve	- 10-2 Da(L) (10-4 Tarr)	10 ⁻⁷ Pa m ³ /sec	Metal sheet:10 ⁻⁶ Pa m ³ /sec
Bellows valve	~10 ⁻² Pa(abs) (10 ⁻⁴ Torr)	10 ' Pa mº/sec	Teflon sheet:10 ⁻⁷ Pa m ³ /sec

Vacuum means a pressure lower than normal atmospheric pressure (1.013×10⁻⁵Pa(abs)). In the vacuum industry, pressures are classified into the areas as shown in Table 2 for convenience. For reference, Table 3 shows allowable leakage rates of major vacuum equipments.

Table 2: Vacuum classification

Classification	Pressure
Low vacuum	Vacuum greater than 10 ² Pa(abs)
Medium vacuum	Vacuum of 10 ² -10 ⁻¹ Pa(abs)
High vacuum (HV)	Vacuum of10 ⁻¹ -10 ⁻⁵ Pa(abs)
Ultra-high vacuum (UHV)	Vacuum less than 10 ⁻⁵ Pa(abs)
absolute vacuum/perfect vacuum	Vacuum of 0Pa(abs) (unattainable)

Table 3: Allowable leak rate of major vacuum equipments

Vacuum equipment	Allowable leak rate
Reduced- pressure drying equipment	~1 Pa m³/sec
Vacuum distillation equipment	\sim 10 ⁻² Pa m 3 /sec
Freeze-drying equipment	\sim 10 ⁻³ Pa m 3 /sec
Medium-vacuum evaporation system	\sim 10 ⁻⁶ Pa m 3 /sec
High-vacuum system	\sim 10 ⁻⁹ Pa m ³ /sec
Ultra-high vacuum system	\sim 10 ⁻¹¹ Pa m ³ /sec
Braun tube / vacuum tube	\sim 10 ⁻¹² Pa m ³ /sec

Inspection method of vacuum valve

There are mainly two methods, the pressure method and the vacuum method, for checking any leakage from a vacuum valve. Table 5 shows some examples of it.

Table 5: Inspection method and leakage limit

	Test method	Detected leak rate		
	Leaving method	0.1~1 Pa m ³ /sec		
	Underwater foaming method	10-5 Pa m ³ /sec		
Pressure method	Soap water foaming method	5×10 ⁻⁶ Pa m ³ /sec		
metriod	Ammonia gas method	10 ⁻⁸ Pa m ³ /sec		
	Helium gas method	10 ⁻⁸ Pa m ³ /sec		
	Leaving method	10 ⁻² Pa m ³ /sec		
Vacuum	Geissler method	10 ⁻⁴ Pa m ³ /sec		
method	A method using Ionization vacuum gauge	10 ⁻⁸ Pa m ³ /sec		
	Helium gas method	10 ⁻¹⁰ Pa m ³ /sec		

Technical Data

Example of installation

List of main materials for Bellows Seal Valves

Part name	Ductile iron valves	Stainless steel valve		Cast steel valve		Forged steel valve	
		Globe valve	Gate valve	Globe valve	Gate valve	Globe valve	Gate valve
Body	FCD-S	SCS13A	SCS13A	AO4C WOD	A216-WCB	A105	A105
		SCS14A	SCS14A	A216-WCB			
Bonnet	FCD-S	SCS13A	SCS13A	AO4C WOD	A216-WCB	A105	A105
		SCS14A	SCS14A	A216-WCB			
Stem	SUS403	A276-304	A276-304	A276-410	A276-410	A276-410	A276-410
Disc	SUS304	A276-304	A351-CF8	A276-410 (≧4B)	AO1C MOD	A276-304	A217-CA15
		A276-316	A351-CF8M	A217-CA15 (5B≦)	A216-WCB		
Body seat ring	SUS403	_	_	A105	A105	A105	A276-410
Bellows	SUS316L	SUS316L	SUS316L	SUS316L	SUS316L	SUS316L	SUS316L

Materials used and applied standards


Dort name	Material		Specification No.			
Part name	code	Material name	JIS	ASTM	DIN	
Body/ Bonnet (Body seat ring)	FCD-S	Ductile iron casting	B 8270 (Appendix-5) FCD-S	A536 Gr60-40-18	_	
	SCS13A	Stainless-steel casting	G 5121 SCS13A	A351 CF-8	17445 G-XCrNi18 9	
	SCS14A	Stainless-steel casting	G 5121 SCS14A	A351 CF8M	17445 G-X6CrNiMo18 10	
	A216-WCB	Steel casting for high temperature & high pressure	G 5151 SCPH2	A216 WCB	_	
	A105	Carbon steel forging for pressure vessel	G 3202 SFVC2A	A105	_	
Body seat	SUS403	Stainless-steel bar	G 4303 SUS 403	A276 S 40300	_	
	A276-304	Stainless-steel bar	G 4303 SUS 304	A276 S 30400	_	
	A276-410	Stainless-steel bar	G 4303 SUS 410	A276 S 41000	1654-5 X10Cr13	
Disc	SUS304	Stainless-steel bar	G 4303 SUS 304	A276 S 30400	_	
	A276-306	Stainless-steel bar	G 4303 SUS 316	A276 S31600	1654-5 X5CrCrNiMo17 12 2	
	A351-CF8	Stainless-steel casting	G 5121 SCS13A	A351 CF-8	17445 G-XCrNi18 9	
	A351-CF8M	Stainless-steel casting	G 5121 SCS14A	A351 CF8M	17445 G-X6CrNiMo18 10	
	A276-CA15	Stainless-steel casting	G 5121 SCS1	A217-CA15	17445 G-X20Cr14	
Bellows	SUS316L	Stainless-steel plate	G 4304 SUS316L	A167 S31603	17445 X2CrNiMo17 13 2	














Handling Instructions of Bellows Valve

1. Transport

- ①When lifting a large-size valve, lift it with a rope tied to the valve casing or the yoke.
- ②Never tie the rope to the handle. Also, make sure not to let the valve fall over and cause the handle to hit hard.
- ③Do not carry the valve at its handle. Otherwise, the handle may turn and cause you a hazard.

2. Storage

- ①Leave the delivered valve in the style of packing sent out from the factory until it is installed locally.
- ②Even for a short period of time, store the valve indoors with little moisture or dust instead of storing it at an open-air location.
- ③Do not remove the protection seal or the polyethylene cap at the end of the valve casing until just before the installation. Otherwise, a foreign substance may enter, resulting in leakage from the valve sheet or damage to the bellows.

3. Range of use

- ①Check the actual product and actual use conditions before use. Use the product within the range of "applicable fluids, pressures and temperatures" on this catalog. For use beyond this range, please consult with us.
- ②Use the "high-pressure gas approved valve" within the conditions listed on the Remarks of the certification.

4. Installation

- ①Carefully clean inside the pipe to remove foreign substances such as welding spatters, pipe chips, scales and gravels to avoid leakage from the valve sheet or damage to the bellows.
- ②Install a valve that has a flow direction arrow on the valve casing to be such that the direction matches with the fluid flow direction.
- ③For flange type valves, check if there is any hazardous scratch on the gasket contact surface of the flange between the valve casings.
- ④Do not apply excessive sealing agent to the gasket. Otherwise, it may result in leakage from the valve sheet or damage to the bellows.
- (5) When installing the valve, tighten the flange equally while paying attention not to let the piping gasket protrude into the bore. Gradually tighten the bolt diagonally.
- 6 For welding-type valve, remove the protection cap at the groove or the socket just before piping or welding.
- Weld the valve and the piping with the valve closed. Otherwise, the heat may deform the valve sheet surface. Before welding, tighten the valve not so hard but until the valve disc touches the sheet slightly, and turn the handle a 1/4 turn in the open direction to allow the valve shaft to have play.
- ® A rough guide for the range of preheating and postheating treatment is approximately 3 times of weld surfacing width at the end face of the valve connection. Keep the range to the minimum and be careful not to heat the valve sheet abnormally. Also, try to prevent the temperature of other parts from rising as much as possible. Pay particular attention to the cooling rate.

5. Handling of valves

- 5.1Points to be checked before operation
- ①If the pipe has not been flushed fully, the valve may not be closed fully due to interference of foreign substances remaining inside the pipe. In this case, do not forcedly close the valve but open the valve slightly once and blow off the foreign substance before re-closing the valve.

- ②The valve needs to be closed with sufficient strength applied to the handle in order to keep the tightness of the valve sheet. However, do not forcedly turn the handle with a wrench or a jig since manual operation is sufficient. Similarly, when using a supplementary handle etc, do not forcedly turn it.
- ③The PTFE disc has high sealing characteristics, and is suitable for liquids containing gaseous body or scales. However, pay particular attention not to forcedly close the disc as it is made of soft resin and can easily be damaged.
- 4 Check that the bolts/nuts are not loose.

5.2Precautions for use

- ①Do not apply higher pressure than the maximum allowable working pressure.
- 2) Avoid impact pressure such as by the water hammer.
- 3Do not let the liquid inside the pipe freeze.
- 4 Do not use corrosive liquids.

Examples of corrosive liquids:

Hydrochloride, nitric acid, dilute sulfuric acid, bromine, hypochlorous acid, acetic acid, formic acid, ammonium persulfate, aluminum chloride, etc.


- (5) When using high viscosity liquid, avoid it from sticking to the bellows.
- 6Do not use the valve for pipes with strong vibration.
- ⑦Do not suddenly open or close the valve with a cylinder etc.

6.Disassembly and assembly

- Before disassembling the valve, make sure that you are well-acquainted with the valve structure, the disassembling parts are limited to the minimum and the disassembling procedure has been determined.
- ①The disassembling/assembling work must be performed by experienced workers who have taken the training.
- ②When disassembling, check that no residual pressure is left inside the valve.
- 6.1Disassembling must be conducted in the procedure shown below, and assembling must be conducted in reverse order.
- 1 Loosen the eyebolt nut.
- ②Open the valve fully, remove the bonnet bolt (nut), and gently remove the bonnet in the straight direction from the body. (Remove the entire bonnet with the bellows installed.)
- ③Fix the bonnet such as with a vise and turn the handle in the close (clockwise) direction until the valve shaft comes off from the sleeve. Then, pull the disc or push the valve shaft to take out the valve shaft unit from the bonnet. (The valve shaft and the disc cannot be separated from each other.)

7.Maintenance

- (1) The gaskets are located on the upper surface of the valve casing and the bellows flange. If the gasket on the valve casing side has been stuck to the seating surface, cleanly remove it from the seating surface without damaging the surface.
- ②Install a replacement gasket without being protruded from the seating surface.
- ③If you find a scratch on the sheet, please bring it to us for repair. We will repair such as by wrapping it but have difficulty doing so on the spot.
- 4 Please ask us for replacement of the bellows. It is difficult to be replaced in the workplace.



39

38 of the foreign substance before re-closing the valve. difficult to be replaced in the workplace.